

L Number	Hits	Search Text	DB	Time stamp
1	465063	(detect\$3 or sens\$3 or communicat\$3) near7 (mobile or vehicle or automobile or article or object or tag)	USPAT; EPO; JPO; DERWENT	2004/03/15 13:29
2	287	(receiv\$3 near3 coil) near5 (mobile or portable or handheld or remot\$3)	USPAT; EPO; JPO; DERWENT	2004/03/15 13:34
3	311	(transmit\$4 near3 coil) near5 (stationary or fix\$3 or immobile\$)	USPAT; EPO; JPO; DERWENT	2004/03/15 13:35
4	0	((detect\$3 or sens\$3 or communicat\$3) near7 (mobile or vehicle or automobile or article or object or tag)) and ((receiv\$3 near3 coil) near5 (mobile or portable or handheld or remot\$3)) and ((transmit\$4 near3 coil) near5 (stationary or fix\$3 or immobile\$)) and (modulat\$3 with random)	USPAT; EPO; JPO; DERWENT	2004/03/15 13:36
5	0	((detect\$3 or sens\$3 or communicat\$3) near7 (mobile or vehicle or automobile or article or object or tag)) and ((receiv\$3 near3 coil) near5 (mobile or portable or handheld or remot\$3)) and ((transmit\$4 near3 coil) near5 (stationary or fix\$3 or immobile\$)) and modulat\$3 and random	USPAT; EPO; JPO; DERWENT	2004/03/15 13:36
6	0	((detect\$3 or sens\$3 or communicat\$3) near7 (mobile or vehicle or automobile or article or object or tag)) and ((receiv\$3 near3 coil) near5 (mobile or portable or handheld or remot\$3)) and ((transmit\$4 near3 coil) near5 (stationary or fix\$3 or immobile\$)) and modulat\$3	USPAT; EPO; JPO; DERWENT	2004/03/15 13:37
7	2	((receiv\$3 near3 coil) near5 (mobile or portable or handheld or remot\$3)) and ((transmit\$4 near3 coil) near5 (stationary or fix\$3 or immobile\$)) and modulat\$3 and (sens\$3 or detect\$3)	USPAT; EPO; JPO; DERWENT	2004/03/15 13:39
8	954	((detect\$3 or sens\$3 or communicat\$3) near7 (mobile or vehicle or automobile or article or object or tag)) and transmit\$3 and receiv\$3 and (sens\$3 or detect\$3) and (modulat\$3 with random)	USPAT; EPO; JPO; DERWENT	2004/03/15 14:27
9	0	((detect\$3 or sens\$3 or communicat\$3) near7 (mobile or vehicle or automobile or article or object or tag)) and transmit\$3 and receiv\$3 and (sens\$3 or detect\$3) and (modulat\$3 with random)) and (coil with topological\$3)	USPAT; EPO; JPO; DERWENT	2004/03/15 14:33
10	0	((detect\$3 or sens\$3 or communicat\$3) near7 (mobile or vehicle or automobile or article or object or tag)) and transmit\$3 and receiv\$3 and (sens\$3 or detect\$3) and (modulat\$3 with random)) and (coil same topological\$3)	USPAT; EPO; JPO; DERWENT	2004/03/15 13:41
11	0	((detect\$3 or sens\$3 or communicat\$3) near7 (mobile or vehicle or automobile or article or object or tag)) and transmit\$3 and receiv\$3 and (sens\$3 or detect\$3) and (modulat\$3 with random)) and coil and topological\$3	USPAT; EPO; JPO; DERWENT	2004/03/15 13:41
12	77	((detect\$3 or sens\$3 or communicat\$3) near7 (mobile or vehicle or automobile or article or object or tag)) and transmit\$3 and receiv\$3 and (sens\$3 or detect\$3) and (modulat\$3 with random)) and coil	USPAT; EPO; JPO; DERWENT	2004/03/15 14:10
13	454834	(mov\$3 or travel\$4 or cross\$3) near4 (area or region or path)	USPAT; EPO; JPO; DERWENT	2004/03/15 14:17
14	17	((detect\$3 or sens\$3 or communicat\$3) near7 (mobile or vehicle or automobile or article or object or tag)) and transmit\$3 and receiv\$3 and (sens\$3 or detect\$3) and (modulat\$3 with random)) and coil) and ((mov\$3 or travel\$4 or cross\$3) near4 (area or region or path))	USPAT; EPO; JPO; DERWENT	2004/03/15 14:32
15	44399	(transmit\$4 or receiv\$3) near4 coil	USPAT; EPO; JPO; DERWENT	2004/03/15 14:26
16	2	((detect\$3 or sens\$3 or communicat\$3) near7 (mobile or vehicle or automobile or article or object or tag)) and transmit\$3 and receiv\$3 and (sens\$3 or detect\$3) and (modulat\$3 with random)) and ((mov\$3 or travel\$4 or cross\$3) near4 (area or region or path)) and ((transmit\$4 or receiv\$3) near4 coil)	USPAT; EPO; JPO; DERWENT	2004/03/15 14:26

17	4	((detect\$3 or sens\$3 or communicat\$3) near7 (mobile or vehicle or automobile or article or object or tag)) and ((mov\$3 or travel\$4 or cross\$3) near4 (area or region or path)) and ((transmit\$4 or receiv\$3) near4 coil) and (sens\$3 or detect\$3) and modulat\$3 and (random near2 signal)	USPAT; EPO; JPO; DERWENT	2004/03/15 14:35
18	4	((detect\$3 or sens\$3 or communicat\$3) near7 (mobile or vehicle or automobile or article or object or tag)) and ((mov\$3 or travel\$4 or cross\$3) near4 (area or region or path)) and ((transmit\$4 or receiv\$3) near4 coil) and (sens\$3 or detect\$3) and modulat\$3 and (random near2 signal)) and (evaluat\$3 or analyz\$3 or analysis or determin\$3)	USPAT; EPO; JPO; DERWENT	2004/03/15 14:33
19	0	((detect\$3 or sens\$3 or communicat\$3) near7 (mobile or vehicle or automobile or article or object or tag)) and ((mov\$3 or travel\$4 or cross\$3) near4 (area or region or path)) and ((transmit\$4 or receiv\$3) near4 coil) and (sens\$3 or detect\$3) and modulat\$3 and (random near2 signal)) and (evaluat\$3 or analyz\$3 or analysis or determin\$3)) and topological\$3	USPAT; EPO; JPO; DERWENT	2004/03/15 14:34
20	3	((detect\$3 or sens\$3 or communicat\$3) near7 (mobile or vehicle or automobile or article or object or tag)) and ((mov\$3 or travel\$4 or cross\$3) near4 (area or region or path)) and ((transmit\$4 or receiv\$3) near4 coil) and (sens\$3 or detect\$3) and modulat\$3 and (random near2 signal)) and (evaluat\$3 or analyz\$3 or analysis or determin\$3)) and resonan\$3	USPAT; EPO; JPO; DERWENT	2004/03/15 14:39
21	0	((mov\$3 or travel\$4 or cross\$3) near4 (area or region or path)) and ((transmit\$4 or receiv\$3) near4 coil) and (sens\$3 or detect\$3) and modulat\$3 and (random near2 signal) and ((wireless or proximity or short) near4 (communicat\$3 or link))	USPAT; EPO; JPO; DERWENT	2004/03/15 14:37
22	7	((mov\$3 or travel\$4 or cross\$3) near4 (area or region or path)) and ((transmit\$4 or receiv\$3) near4 coil) and (sens\$3 or detect\$3) and modulat\$3 and (random near2 signal) and (communicat\$3 or link or transmission)	USPAT; EPO; JPO; DERWENT	2004/03/15 14:40
23	3	((mov\$3 or travel\$4 or cross\$3) near4 (area or region or path)) and ((transmit\$4 or receiv\$3) near4 coil) and (sens\$3 or detect\$3) and modulat\$3 and (random near2 signal) and (communicat\$3 or link or transmission)) and resonan\$3	USPAT; EPO; JPO; DERWENT	2004/03/15 14:39
24	32795	(circular\$2 or circle) near4 (path or transmission)	USPAT; EPO; JPO; DERWENT	2004/03/15 14:40
25	0	((mov\$3 or travel\$4 or cross\$3) near4 (area or region or path)) and ((transmit\$4 or receiv\$3) near4 coil) and (sens\$3 or detect\$3) and modulat\$3 and (random near2 signal) and (communicat\$3 or link or transmission)) and ((circular\$2 or circle) near4 (path or transmission))	USPAT; EPO; JPO; DERWENT	2004/03/15 14:41
26	4	((detect\$3 or sens\$3 or communicat\$3) near7 (mobile or vehicle or automobile or article or object or tag)) and ((mov\$3 or travel\$4 or cross\$3) near4 (area or region or path)) and ((transmit\$4 or receiv\$3) near4 coil) and ((circular\$2 or circle) near4 (path or transmission)) and resonan\$3	USPAT; EPO; JPO; DERWENT	2004/03/15 14:45
27	0	((mov\$3 or travel\$4 or cross\$3) near4 (area or region or path)) and ((transmit\$4 or receiv\$3) near4 coil) and (sens\$3 or detect\$3) and modulat\$3 and (random near2 signal) and (communicat\$3 or link or transmission)) or ((detect\$3 or sens\$3 or communicat\$3) near7 (mobile or vehicle or automobile or article or object or tag)) and ((mov\$3 or travel\$4 or cross\$3) near4 (area or region or path)) and ((transmit\$4 or receiv\$3) near4 coil) and ((circular\$2 or circle) near4 (path or transmission)) and resonan\$3)) and damper	USPAT; EPO; JPO; DERWENT	2004/03/15 14:45
28	40	((detect\$3 or sens\$3 or communicat\$3) near7 (mobile or vehicle or automobile or article or object or tag)) and ((mov\$3 or travel\$4 or cross\$3) near4 (area or region or path)) and ((transmit\$4 or receiv\$3) near4 coil) and damper	USPAT; EPO; JPO; DERWENT	2004/03/15 14:48
29	0	((circular\$2 or circle) near4 (path or transmission)) and ((detect\$3 or sens\$3 or communicat\$3) near7 (mobile or vehicle or automobile or article or object or tag)) and ((mov\$3 or travel\$4 or cross\$3) near4 (area or region or path)) and ((transmit\$4 or receiv\$3) near4 coil) and damper	USPAT; EPO; JPO; DERWENT	2004/03/15 14:48

US 6249121 B1	RF body coil	324/318	600/422
US 6193194 B1	Magnetic propulsion s	244/172	244/1R; 244/53R; 244/62; 60/2
US 4193291 A	Slow torsional wave d	73/32A	376/245; 376/252; 376/258
US 3916699 A	Method and system fo	73/623	73/592

L 26

US 6378360 B1	Apparatus for wire-fre 73/146.5
US 4720701 A	System with enhance 340/572.4 330/207R; 333/19; 340/551
US 3794977 A	A MULTIPLEX CONT 340/825.26246/182R; 246/5; 340/825.65
US 6693856 B1	MAGNETO-OPTICAL 369/30.15 369/13.17

L17

US 6378360 B1	Apparatus for wire-free	73/146.5
US 6678211 B2	Amplified tree structure	367/149
US 6667935 B2	Apparatus and method	367/149
US 6529444 B2	Folded sagnac sensor	367/149
US 6278657 B1	Folded sagnac sensor	367/149
US 6034924 A	Folded sagnac sensor	367/149
US 5327216 A	Apparatus for remote	356/486 181/112; 181/122; 356/493; 35
US 5317383 A	Array retroreflector ap	356/486 181/112; 181/122; 356/364; 35
US 5303215 A	Self-timing optic lathe	369/47.47 369/111; 369/189; 369/30.12; 3
US 5289434 A	Retroreflector apparatus	367/178 181/122; 356/487; 356/493
US 5122796 A	Object detection method	340/904 180/169; 340/903
US 5070483 A	Remote seismic sensor	367/14 356/28.5; 356/486
US 4926170 A	Object detection method	340/904 180/169; 340/903
US 4830486 A	Frequency modulated	356/4.09 250/559.38; 250/559.39; 356/47
US 4634282 A	Multimode fiber optic	356/460
US 4155078 A	Single wire intrusion	340/561 340/552
US 3968482 A	Pressure modulated	340/544 109/39; 340/545.2; 340/545.6;

L14